

TRAFFIC SWINGING SINGLE LEAF DOORS

ALL PRICES IN US DOLLARS, DO NOT INCLUDE VAT. 2 MM THICK METAL DOOR FRAME INCLUDED

(TSD)

26.03.2025

- PH Insulation's traffic swinging doors are designed to separate production and other premises in places with intensive traffic of personnel.
- The factory-made doors are ready for installation on technological, industrial premises, supermarkets, hospitals, food production facilities, cafes, restaurants, etc.
- Traffic doors are not meant to completely seal the opening due to technical clearance gaps along the perimeter between the frame and the door leaf.
- If you need the doors to remain open in 90-degree position, you can order traffic doors with fixating hinges. Doors can be equipped with oval windows of 200x500 or 300x580 mm.
- Traffic doors are available in custom sizes and are equipped with the European-made hardware: Italian, Spanish, — according to customer's request.

OVERHEAD FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM						
		700	800	900	1000	1100	1200	1300
RAL 9003	1800	422	466	474	488	497	515	604
	1900	427	472	481	495	504	596	612
	2000	431	479	488	502	511	604	620
	2100	437	486	495	509	590	612	629
	2200	443	495	504	519	600	623	640
	2300	452	506	516	602	613	636	729
	2400	457	513	523	610	621	644	737
	2500	552	610	621	639	651	676	773
	2600	559	619	631	649	661	763	784
	2700	565	628	639	658	671	773	794
	2800	572	637	649	668	755	784	805
	2900	650	717	730	751	765	794	815
	3000	656	728	741	762	776	806	828
	3100	663	737	750	772	786	816	839
	3200	670	746	760	782	797	828	850
	3300	677	755	769	792	807	838	861


ANGULAR FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM						
		700	800	900	1000	1100	1200	1300
RAL 9003	1800	472	518	527	542	554	575	666
	1900	478	525	535	550	562	658	675
	2000	483	532	542	558	570	667	684
	2100	489	540	550	566	651	675	693
	2200	494	547	557	574	659	684	702
	2300	510	566	576	666	680	705	801
	2400	516	574	585	674	689	715	811
	2500	612	673	685	705	720	747	847
	2600	622	684	697	717	733	838	861
	2700	631	696	709	730	746	853	875
	2800	638	705	719	740	832	863	886
	2900	722	792	807	830	847	879	903
	3000	731	805	820	843	861	894	918
	3100	738	814	829	853	871	904	929
	3200	745	823	839	863	881	915	940
	3300	755	836	851	876	895	929	955





OVERLAPPING FRAME



RAL 9003

INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM						
	700	800	900	1000	1100	1200	1300
1800	543	592	603	622	635	660	758
1900	551	602	614	633	647	749	770
2000	565	618	631	650	664	768	790
2100	573	629	642	661	751	780	802
2200	582	640	653	673	763	793	815
2300	599	659	673	769	785	815	918
2400	608	671	685	782	798	829	933
2500	716	782	797	821	838	871	979
2600	729	797	813	837	855	970	997
2700	739	809	825	850	868	984	1012
2800	750	822	839	864	962	999	1027
2900	839	915	932	959	979	1017	1045
3000	853	933	951	979	999	1038	1067
3100	863	946	964	993	1013	1052	1081
3200	871	956	974	1003	1024	1063	1093
3300	882	969	988	1017	1038	1078	1109


OUR DOORS ARE AVAILABLE IN CUSTOM SIZES TO INSURE BEST COMMERCIAL APPLICATION

TRAFFIC SWINGING DOUBLE LEAF DOORS

ALL PRICES IN US DOLLARS, DO NOT INCLUDE VAT. 2 MM THICK METAL DOOR FRAME INCLUDED

(TDD)

26.03.2025



RAL 9003

OVERHEAD FRAME

INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM				
	1000	1100	1200	1300	1400
1800	764	768	780	784	856
1900	772	776	789	793	868
2000	781	786	798	802	882
2100	789	794	807	811	894
2200	798	803	816	821	908
2300	815	820	834	838	931
2400	835	840	856	861	958
2500	1007	1013	1030	1035	1137
2600	1026	1032	1049	1054	1161
2700				1066	1177
2800				1080	1195
2900				1245	1364
3000				1257	1380
3100				1270	1400
3200				1285	1418
3300				1298	1436

OVERHEAD FRAME

INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM				
	1500	1600	1700	1800	1900
1800	859	863	867	871	877
1900	872	876	880	884	890

RAL 9003	2 000	886	890	894	898	905
	2 100	899	903	907	912	918
	2 200	912	917	921	926	933
	2 300	935	940	945	949	1105
	2 400	963	968	973	978	1136
	2 500	1143	1148	1153	1158	1166
	2 600	1166	1171	1177	1182	1190
	2 700	1182	1188	1194	1199	1207
	2 800	1201	1207	1212	1218	1226
	2 900	1370	1376	1382	1388	1396
	3 000	1386	1393	1399	1405	1413
	3 100	1406	1412	1419	1425	1434
	3 200	1424	1431	1438	1444	1453
	3 300	1442	1449	1456	1463	1472

OVERHEAD FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM						
		2 000	2 100	2 200	2 300	2 400	2 500	2 600
RAL 9003	1800	881	911	915	919	925	1081	1086
	1900	895	926	930	1085	1091	1096	1101
	2 000	909	941	945	1100	1107	1112	1118
	2 100	923	1106	1111	1115	1122	1127	1133
	2 200	938	1122	1126	1131	1138	1143	1149
	2 300	1110	1148	1153	1158	1165	1323	1329
	2 400	1141	1180	1185	1190	1198	1358	1364
	2 500	1171	1212	1217	1223	1230	1393	1400
	2 600	1196	1237	1243	1405	1413	1419	1426
	2 700	1213	1255	1261	1423	1432	1438	1445
	2 800	1232	1432	1438	1444	1453	1459	1466
	2 900	1403	1451	1457	1463	1472	1478	1486
	3 000	1420	1469	1475	1482	1490	1497	1505
	3 100	1440	1490	1497	1503	1512	1519	1527
	3 200	1460	1510	1517	1524	1533	1540	1548
	3 300	1479	1530	1537	1544	1553	1560	1569

ANGULAR FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM				
		1000	1100	1200	1300	1400
RAL 9003	1800	818	824	837	841	916
	1900	827	834	848	852	931
	2 000	837	844	858	862	945
	2 100	847	854	868	873	959
	2 200	857	864	878	883	974
	2 300	880	888	902	907	1003
	2 400	901	909	926	931	1032
	2 500	1076	1084	1101	1107	1212
	2 600	1094	1102	1120	1126	1236
	2 700				1139	1253
	2 800				1152	1270
	2 900				1323	1445
	3 000				1338	1464
	3 100				1351	1484
	3 200				1365	1501
	3 300				1377	1518


ANGULAR FRAME

INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM				
	1500	1600	1700	1800	1900
1800	920	925	929	933	940
1900	935	939	944	948	955
2 000	950	954	959	963	970
2 100	964	969	974	979	986
2 200	979	984	989	994	1001

RAL 9003	2 300	1 008	1 013	1 018	1 023	1 181
	2 400	1 037	1 043	1 048	1 054	1 213
	2 500	1 218	1 223	1 229	1 235	1 243
	2 600	1 242	1 247	1 253	1 259	1 267
	2 700	1 259	1 265	1 271	1 277	1 285
	2 800	1 276	1 282	1 289	1 295	1 303
	2 900	1 452	1 458	1 465	1 471	1 480
	3 000	1 471	1 477	1 484	1 490	1 499
	3 100	1 490	1 497	1 504	1 511	1 520
	3 200	1 508	1 515	1 522	1 529	1 538
	3 300	1 525	1 532	1 540	1 547	1 556

ANGULAR FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM						
		2 000	2 100	2 200	2 300	2 400	2 500	2 600
RAL 9003	1 800	946	979	983	988	994	1154	1161
	1 900	962	995	1 000	1157	1164	1171	1178
	2 000	977	1 011	1 016	1173	1181	1188	1195
	2 100	993	1180	1185	1190	1197	1205	1213
	2 200	1 008	1197	1202	1207	1214	1222	1230
	2 300	1189	1229	1235	1240	1248	1410	1418
	2 400	1221	1263	1269	1274	1282	1447	1455
	2 500	1251	1295	1300	1306	1314	1480	1489
	2 600	1276	1320	1326	1490	1498	1507	1516
	2 700	1294	1339	1345	1509	1518	1527	1535
	2 800	1312	1516	1522	1528	1537	1546	1555
	2 900	1489	1540	1547	1553	1562	1572	1581
	3 000	1509	1561	1567	1574	1583	1593	1602
	3 100	1529	1582	1589	1596	1606	1615	1625
	3 200	1548	1602	1609	1616	1626	1635	1645
	3 300	1566	1620	1628	1635	1645	1655	1665



OVERLAPPING FRAME

RAL 9003	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM				
		1000	1100	1200	1300	1400
	1800	898	905	920	926	1003
	1900	913	920	935	941	1023
	2000	925	933	948	954	1040
	2100	941	949	964	971	1060
	2200	954	961	977	984	1078
	2300	979	987	1003	1010	1109
	2400	1007	1015	1034	1041	1146
	2500	1190	1198	1218	1225	1334
	2600	1211	1219	1239	1246	1359
	2700				1263	1380
	2800				1280	1401
	2900				1456	1581
	3000				1477	1607
	3100				1494	1630
	3200				1509	1649
3300				1526	1670	

OVERLAPPING FRAME

9003	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM				
		1500	1600	1700	1800	1900
	1800	1009	1015	1020	1026	1035
	1900	1029	1035	1041	1047	1055
	2000	1046	1052	1058	1065	1073
	2100	1067	1073	1080	1086	1095
	2200	1084	1091	1097	1104	1113
	2300	1116	1123	1130	1136	1300
	2400	1153	1160	1167	1175	1341
	2500	1341	1348	1356	1363	1373

RAL	2 600	1 367	1 374	1 382	1 389	1 399
	2 700	1 388	1 396	1 403	1 411	1 421
	2 800	1 409	1 417	1 425	1 433	1 443
	2 900	1 589	1 598	1 606	1 614	1 624
	3 000	1 615	1 623	1 632	1 640	1 650
	3 100	1 639	1 647	1 656	1 664	1 675
	3 200	1 658	1 666	1 675	1 684	1 695
	3 300	1 679	1 688	1 697	1 706	1 717

OVERLAPPING FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM						
		2 000	2 100	2 200	2 300	2 400	2 500	2 600
RAL 9003	1 800	1 042	1 079	1 085	1 091	1 100	1 264	1 277
	1 900	1 063	1 101	1 107	1 270	1 279	1 287	1 300
	2 000	1 081	1 120	1 126	1 290	1 298	1 306	1 320
	2 100	1 103	1 300	1 307	1 313	1 323	1 331	1 344
	2 200	1 121	1 319	1 326	1 333	1 342	1 350	1 364
	2 300	1 309	1 355	1 362	1 369	1 379	1 547	1 560
	2 400	1 349	1 397	1 404	1 412	1 422	1 592	1 606
	2 500	1 381	1 430	1 438	1 446	1 456	1 626	1 641
	2 600	1 408	1 458	1 466	1 635	1 645	1 655	1 669
	2 700	1 430	1 481	1 489	1 658	1 669	1 678	1 693
	2 800	1 452	1 665	1 674	1 682	1 693	1 702	1 717
	2 900	1 634	1 691	1 700	1 708	1 719	1 729	1 744
	3 000	1 660	1 719	1 727	1 736	1 747	1 757	1 772
	3 100	1 685	1 744	1 753	1 762	1 773	1 783	1 799
	3 200	1 705	1 765	1 774	1 783	1 794	1 805	1 821
	3 300	1 727	1 788	1 797	1 806	1 818	1 829	1 845

OUR DOORS ARE AVAILABLE IN CUSTOM SIZES TO INSURE BEST COMMERCIAL APPLICATION

DOOR CATALOGUE CODES

TSD	SWINGING SINGLE LEAF DOORS
TDD	SWINGING DOUBLE LEAF DOORS
RIGHT / LEFT	HINGES ON THE RIGHT / HINGES ON THE LEFT

EXAMPLE OF DOOR CATALOGUE CODE: TSD 800 2000 40 RAL9003/RAL9003 ANG RIGHT

DOOR TYPE	DOORWAY WIDTH	DOORWAY HEIGHT	DOOR THICKNESS	COVERING MATERIAL		FRAME TYPE	HINGES LOCATION
				EXTERIOR METAL	INTERIOR METAL		
TSD	800	2 000	40	RAL9003	RAL9003	ANGULAR	RIGHT

ADDITIONAL OPTIONS FOR TRAFFIC SWINGING DOORS

ITEM	PRICE
TDD FRAME INSTALLATION HARDWARE TO INSULATED SANDWICH PANELS	15
TSD FRAME INSTALLATION HARDWARE TO INSULATED SANDWICH	11
TDD FRAME INSTALLATION HARDWARE TO A BRICK WALL	10
TSD FRAME INSTALLATION HARDWARE TO A BRICK WALL	5
FRAME INSTALLATION HARDWARE FOR STEEL STUD CONSTRUCTION	3
DOOR BLADE MATERIAL: AISI 304, PRICE FOR 1 SQ. M	40
DOOR BLADE MATERIAL: AISI 430, PRICE FOR 1 SQ. M	27
OVERHEAD FRAME AISI 304, PRICE FOR RUNNING METER	22
ANGULAR FRAME AISI 304, PRICE FOR RUNNING METER	38
OVERLAPPING FRAME AISI 304, PRICE FOR RUNNING METER	100
OVERHEAD FRAME AISI 430, PRICE FOR RUNNING METER	13
ANGULAR FRAME AISI 430, PRICE FOR RUNNING METER	22

OVERLAPPING FRAME AISI 430, PRICE FOR RUNNING METER	59
HIDDEN INSTALLATION HARDWARE FOR TSD	54
HIDDEN INSTALLATION HARDWARE FOR TDD	64
HIDDEN INSTALLATION HARDWARE FOR TSD WITH AISI 304 FRAME	74
HIDDEN INSTALLATION HARDWARE FOR TDD WITH AISI 304 FRAME	66
HIDDEN INSTALLATION HARDWARE FOR TSD WITH AISI 430 FRAME	88
HIDDEN INSTALLATION HARDWARE FOR TDD WITH AISI 304 FRAME	78

FACTORY INSTALLED BUMPERS FOR TSD

BUMPER MATERIAL	THICKNESS, MM	PRICE FOR SQ. M	PRICE FOR RUNNING METER	
			BOTTOM 0,25 M	BOTTOM 0,5 M
AISI 304	1,5	133	33	66
AISI 430	1,5	88	22	44
ALUMINIUM CHECKER PLATE	1,5	70	17	35
FLAT HDP PLASTIC	4,0	40	10	20
CURVED HDP PLASTIC	6,0	57	14	29

FACTORY INSTALLED BUMPERS FOR TDD

BUMPER MATERIAL	THICKNESS, MM	PRICE FOR SQ. M	PRICE FOR RUNNING METER	
			BOTTOM 0,25 M	BOTTOM 0,5 M
AISI 304	1,5	139	35	70
AISI 430	1,5	91	23	46
ALUMINIUM CHECKER PLATE	1,5	74	18	37
FLAT HDP PLASTIC	4,0	41	10	20
CURVED HDP PLASTIC	4,0	47	12	23
CURVED HDP PLASTIC	6,0	58	15	29

PACKAGING

ITEM	PRICE
STRETCH-WRAP	INCLUDED IN DOOR PRICE
CARDBOARD PACKAGING	CALCULATED INDIVIDUALLY FOR YOUR ORDER
WOODEN PACKAGING	CALCULATED INDIVIDUALLY FOR YOUR ORDER



+7 (495) 745-01-37

WWW.PROFHOLOD.COM